

中国交通安全设施生产基地

THE PRODUCTION BASE OF TRAFFIC SAFETY IN CHINA

中国交通安全设施品牌领跑者

THE LEADING BRAND OF TRAFFIC SAFETY IN CHINA

外贸公司信赖合作伙伴

IDEAL PARTNER OF TRADING COMPANIES

成为全球知名的交通安全设施供应商

TO BE THE FAMOUS SUPPLIER OF TRAFFIC SAFETY WORLDWIDE

致力于人类安防事业

DELICATE TO THE CAUSE OF HUMAN SECURITY



杭州锦橙交通科技有限公司

HANGZHOU JINCHENG TRANSPORTATION TECHNOLOGY CO.,LTD.

E-mail: sales@hztraffic.com

锦橙交通产品图册

JINCHENG TRAFFIC
PRODUCT







DESIGN

JINCHENG TRAFFIC
PRODUCT BROCHURES



Table of Content 目录


Qualification certificate 资质证明



01-10	Speed Hump
11-14	Cable Protector
15-20	Wheel Stopper & Corner Guard
21-40	Traffic Cones & Bollard
41-49	Barrier Series
50-56	Convex Mirror & Safety Signage
57-60	Parking Series
61-64	Traffic Barricade Light
65-70	Stanchion Post
71-72	Hand Trolley

Economy Rubber Speed Bump

Speed bumps are designed to force drivers to slow down in critical, pedestrian areas. Such as parking lots, crosswalks and other walkable areas.Durable recycled rubber construction guarantees performance year after year,especially the rain and snow seasons .With cat eyes to improve the visual distance.
Benefits of the recycled rubber speed bumps :100% recycled material/Heavy-duty loading capacity.Never need painting/ Easy installation & handle/Removable for snow plowing or pavement maintenance



型号 MODEL NO.	部位 PARTS	长度 LENGTH		宽度 WIDTH		高度 HEIGHT		重量 (KG) WEIGHT	材料 MATERIAL
		(mm)	(inches)	(mm)	(inches)	(mm)	(inches)		
SH-100A	Middle Section 主体	1000	39"	350	13 2/3"	50	2"	14KG	Rubber 橡胶
SH-100B	Middle Section 主体	1000	39"	350	13 2/3"	50	2"	10KG	Rubber 橡胶
SH-100C	Middle Section 主体	1000	39"	350	13 2/3"	50	2"	8KG	Rubber 橡胶
SH-100D	Middle Section 主体	1000	39"	350	13 2/3"	40	1 3/5"	10KG	Rubber 橡胶
SH-100E	Middle Section 主体	1000	39"	350	13 2/3"	40	1 3/5"	8KG	Rubber 橡胶
SH-100F	Middle Section 主体	1000	39"	300	11 4/5"	30	1 1/5"	6KG	Rubber 橡胶
SH-100G	Middle Section 主体	1000	39"	350	13 2/3"	45	1 4/5"	13KG	Rubber 橡胶
SH-50	Middle Section 主体	500	19 3/5"	350	13 2/3"	45	1 4/5"	10 kg	Rubber 橡胶

Economy Rubber Speed Bump



Model(型号): SH-50A

Model(型号): SH-100Q

Model(型号): SH-100J

型号 MODEL NO.	部位 PARTS	长度 LENGTH		宽度 WIDTH		高度 HEIGHT		重量 (KG) WEIGHT	材料 MATERIAL
		(mm)	(inches)	(mm)	(inches)	(mm)	(inches)		
SH-50A	Middle Section 主体	500	19 3/5"	350	13 2/3"	50	2"	13 KG	Rubber 橡胶
SH-100Q	Middle Section 主体	1000	39"	320	12 3/5"	50	2"	15 KG	Rubber 橡胶
SH-100J	Middle Section 主体	1000	39"	380	15"	50	2"	17 KG	Rubber 橡胶



Model(型号): SH-50S/SH-50T



Model(型号): SH-50C

型号 MODEL NO.	部位 PARTS	长度 LENGTH		宽度 WIDTH		高度 HEIGHT		重量 (KG) WEIGHT	材料 MATERIAL
		(mm)	(inches)	(mm)	(inches)	(mm)	(inches)		
SH-50S	Middle Section 主体	500	19 3/5"	380	15"	50	2"	12.5 KG	Rubber 橡胶
SH-50T	Middle Section 主体	500	19 3/5"	380	15"	50	2"	16 KG	Rubber 橡胶
SH-50C	Middle Section 主体	500	19 3/5"	400	15 3/5"	50	2"	16 KG	Rubber 橡胶

Rubber Speed Bump



Model(型号): SH-17A/B



Model(型号): SH-17C



Model(型号): SH-17H



Model(型号): SH-20A

型号 MODEL NO.	部位 PARTS	长度 LENGTH		宽度 WIDTH		高度 HEIGHT		重量 (KG) WEIGHT	材料 MATERIAL
		(mm)	(inches)	(mm)	(inches)	(mm)	(inches)		
SH-17A	End Caps 端头	175	7"	350	13 4/5"	42	1 3/5"	1.5KG	Rubber 橡胶
SH-17B	End Caps 端头	175	7"	350	13 4/5"	50	2"	1.7 kg	Rubber 橡胶
SH-17C	End Caps 端头	175	7"	350	13 4/5"	45	1 4/5"	1.6 kg	Rubber 橡胶
SH-17H	End Caps 端头	175	7"	380	15"	50	2"	1.8 kg	Rubber 橡胶
SH-20A	End Caps 端头	200	7 4/5"	350	13 4/5"	45	1 4/5"	1.6 kg	Rubber 橡胶

Arrow Speed Hump


The Arrow Speed Humps are designed for heavy traffic roads in High-Class Markets, The wide yellow rubber section and white reflector provide maximal visibility to driver in the day & night. Furthermore, the wide body speed hump help the car/ truck run over the speed hump line smoothly without severe shock.



SH-50U



SH-50V



SH-50W

型号 MODEL NO.	部位 PARTS	长度 LENGTH		宽度 WIDTH		高度 HEIGHT		重量 (KG) WEIGHT	材料 MATERIAL
		(mm)	(inches)	(mm)	(inches)	(mm)	(inches)		
SH-50U	Middle Section 主体	500	19 3/5"	1000	39 2/5"	75	3"	45kg	EPDM橡胶
SH-50V	Middle Section 主体	500	19 3/5"	550	21 3/5"	75	3"	26kg	EPDM橡胶
SH-50W	Middle Section 主体	500	19 3/5"	400	15 4/5"	50	2"	16kg	EPDM橡胶


Rubber Speed Bump



Model(型号): SH-183A

Model(型号): SH-19A

型号 MODEL NO.	部位 PARTS	长度 LENGTH		宽度 WIDTH		高度 HEIGHT		重量 (KG) WEIGHT	材料 MATERIAL
		(mm)	(inches)	(mm)	(inches)	(mm)	(inches)		
SH-183A	Middle Section 主体	1830	72"	300	11 4/5"	50	2"	20KG	Rubber 橡胶
SH-19A	End Caps 端头	190	7 1/2"	300	11 4/5"	50	2"	1.5KG	Rubber 橡胶




Model(型号): SH-183B & SH-19A

型号 MODEL NO.	部位 PARTS	长度 LENGTH		宽度 WIDTH		高度 HEIGHT		材料 MATERIAL
		(mm)	(inches)	(mm)	(inches)	(mm)	(inches)	
SH-183B	Middle Section 主体	1830	72"	300	11 4/5"	50	2"	Rubber 橡胶
SH-19A	End Caps 端头	190	7 1/2"	300	11 4/5"	50	2"	Rubber 橡胶

Portable Speed Bump

- Function: The portable speed bump can be used to control traffic flow in asphalt, gravel and uneven surface in roads, garage, driveway, and neighborhood.
- Installation: The speed bump for driveway can be easily set up in only seconds to slow down the vehicle.
- Portable Design: With the carry bag, you can store it in your car trunk and set up the speed bump whenever you need.




ANTI-SLIP BACKSIDE




型号 MODEL NO.	部位 PARTS	长度 LENGTH		宽度 WIDTH		高度 HEIGHT		重量 (KG) WEIGHT	材料 MATERIAL
		(mm)	(inches)	(mm)	(inches)	(mm)	(inches)		
SH-1	Middle Section 主体	3000	118"	220	8 3/5"	45	2"	12.3 KG	Toughened nylon 增韧尼龙


Heavy Duty Rubber Speed Bump



Model(型号): SH-60





Model(型号): SH-90



Model(型号): SH-20K

型号 MODEL NO.	部位 PARTS	长度 LENGTH		宽度 WIDTH		高度 HEIGHT		重量 (KG) WEIGHT	材料 MATERIAL
		(mm)	(inches)	(mm)	(inches)	(mm)	(inches)		
SH-60A	Middle Section 主体	600	24"	470	18 1/2"	30	1 1/5"	7.5kgs/PC	Rubber 橡胶
SH-60B	Middle Section 主体	600	24"	470	18 1/2"	50	2"	10.5kgs/PC	Rubber 橡胶
SH-60C	End Caps 端头	600	24"	225	9"	30	1 1/5"	2.5kgs/PC	Rubber 橡胶
SH-60D	End Caps 端头	600	24"	225	9"	50	2 "	3.5kgs/PC	Rubber 橡胶
SH-90A	Middle Section 主体	900	35"	500	20"	50	2 "	19kgs/PC	Rubber 橡胶
SH-90B	End Caps 端头	900	35"	250	10"	50	2 "	6kgs/PC	Rubber 橡胶
SH-20K	Middle Section 主体	500	20"	600	24"	50	2 "	20kgs/PC	Rubber 橡胶

Speed Cushions



型号 MODEL NO.	部位 PARTS	长度 LENGTH		宽度 WIDTH		高度 HEIGHT		材料 MATERIAL
		(mm)	(inches)	(mm)	(inches)	(mm)	(inches)	
SHRP-80G	Body 主体	1000	39 2/5"	400	15 4/5"	80	3"	Rubber 橡胶

Rubber Speed Bump



型号 MODEL NO.	部位 PARTS	长度 LENGTH		宽度 WIDTH		高度 HEIGHT		重量 (KG) WEIGHT	材料 MATERIAL
		(mm)	(inches)	(mm)	(inches)	(mm)	(inches)		
SH-120	Middle Section 主体	1195	47"	300	11 4/5"	30	2"	12KG	Rubber 橡胶



500mm


500mm

型号 MODEL NO.	部位 PARTS	长度 LENGTH		宽度 WIDTH		高度 HEIGHT		重量 (KG) WEIGHT	材料 MATERIAL
		(mm)	(inches)	(mm)	(inches)	(mm)	(inches)		
SH-50KR	Middle Section 主体	500	19 3/5"	500	19 3/5"	50	2"	8.4KG	Rubber 橡胶
SH-50KR1	End Caps 端头	500	19 3/5"	250	9 4/5"	50	2"	2.7kg	Rubber 橡胶

Rubber Speed Bump




型号 MODEL NO.	部位 PARTS	长度 LENGTH		宽度 WIDTH		高度 HEIGHT		重量 (KG) WEIGHT	材料 MATERIAL
		(mm)	(inches)	(mm)	(inches)	(mm)	(inches)		
SH-120Y	Middle Section 主体	1200	47 1/5"	500	19 3/5"	55	2"	27KG	Rubber 橡胶




型号 MODEL NO.	部位 PARTS	长度 LENGTH		宽度 WIDTH		高度 HEIGHT		重量 (KG) WEIGHT	材料 MATERIAL
		(mm)	(inches)	(mm)	(inches)	(mm)	(inches)		
SH-50-E	Middle Section 主体	500	19 3/5"	500	19 3/5"	50	2"	14kgs/M	Rubber 橡胶
SH-50-E1	End Caps 端头	500	19 3/5"	250	9 4/5"	50	2"	2kgs/M	Rubber 橡胶

Plastic Trench Cover




Model(型号): PTC-1690



Model(型号): PTC-1290


Model(型号)	PTC-1690	PTC-1290
Size(尺寸L*W*H)	1690X1290X30mm	1290X870X30mm
Weight(重量)	26kg	14kg

Cable Protector



CP1-10M&4M

Φ20mm/Φ40mm



CP1-100P-2

型号 MODEL NO.	部位 PARTS	槽数 CHANNEL	长度		宽度		高度		重量 WEIGHT	材料 MATERIAL	槽径 GROOVE DIAMETER
			(mm)	(inches)	(mm)	(inches)	(mm)	(inches)			
CP1-10M	Middle Section 主体	1	10000	39"	130	5"	30	1 1/5"	18 kg	Rubber	Φ20
CP1-4M	Middle Section 主体	1	4000	157"	170	6 3/5"	50	2"	14 kg	Rubber	Φ40
CP1-100P-2	Middle Section 主体	1	1000	39"	100	4"	25	1"	1.3 kg	PVC	35*25

Cable Protector




CP1-100P-1

CP1-100S-1

CP1-100L-3

型号 MODEL NO.	部位 PARTS	槽数 CHANNEL	长度 LENGTH		宽度 WIDTH		高度 HEIGHT		重量 (KG) WEIGHT	材料 MATERIAL	槽径 GROOVE DIAMETER
			(mm)	(inches)	(mm)	(inches)	(mm)	(inches)			
CP1-100P-1	Middle Section 主体	1	1000	39"	130	5"	20	4/5"	0.6 kg	plastic	30*12
CP1-100S-1	Middle Section 主体	1	1000	39"	130	5"	20	4/5"	1.5 kg	Rubber	30*12
CP1-100L-3	Middle Section 主体	1	1000	39"	220	8 3/5"	30	1 2/5"	3 kg	Rubber	85*25

Cable Protector



Model(型号): CP1-100L

CP1-100M & CP1-100S


型号 MODEL NO.	部位 PARTS	槽数 CHANNEL	长度 LENGTH		宽度 WIDTH		高度 HEIGHT		重量 (KG) WEIGHT	材料 MATERIAL	槽径 GROOVE DIAMETER
			(mm)	(inches)	(mm)	(inches)	(mm)	(inches)			
CP1-100L	Middle Section 主体	1	1000	39"	580	23"	100	4"	22 kg	Rubber 橡胶	100*130
CP1-100M	Middle Section 主体	1	1000	39"	285	11 1/5"	70	2 4/5"	7 kg	Rubber 橡胶	50*70
CP1-100S	Middle Section 主体	1	1000	39"	220	8 3/5"	35	1 2/5"	4.5 kg	Rubber 橡胶	20*70

Cable Protector



Model(型号): CP2-100U


型号	部位	槽数	长度	LENGTH	宽度	WIDTH	高度	HEIGHT	重量 (KG)	材料	槽径
MODEL NO.	PARTS	CHANNEL	(mm)	(inches)	(mm)	(inches)	(mm)	(inches)	WEIGHT	MATERIAL	GROOVE DIAMETER
CP2-100U-6	Middle Section 主体	2	1000	39"	245	9 3/5"	45	1 7/10"	6 kg	Rubber 橡胶	30*25
CP2-100U-8	Middle Section 主体	2	1000	39"	245	9 3/5"	45	1 7/10"	8 kg	Rubber 橡胶	30*25



Model(型号): CP3-100W

型号	部位	槽数	长度	LENGTH	宽度	WIDTH	高度	HEIGHT	重量 (KG)	材料	槽径
MODEL NO.	PARTS	CHANNEL	(mm)	(inches)	(mm)	(inches)	(mm)	(inches)	WEIGHT	MATERIAL	GROOVE DIAMETER
CP3-100W-8	Middle Section 主体	3	1000	39"	300	11 4/5"	45	1 7/10"	8 kg	Rubber 橡胶	35*35
CP3-100W-12	Middle Section 主体	3	1000	39"	500	19 3/5"	70	2 4/5"	12 kg	Rubber 橡胶	65*65


Cable Protector




Model(型号): CP4-90K-11

Model(型号): CP4-90K-19

型号	部位	槽数	长度	LENGTH	宽度	WIDTH	高度	HEIGHT	重量 (KG)	材料	槽径
MODEL NO.	PARTS	CHANNEL	(mm)	(inches)	(mm)	(inches)	(mm)	(inches)	WEIGHT	MATERIAL	GROOVE DIAMETER
CP4-90K-11	Middle Section 主体	4	900	35"	500	19 3/5"	60	2 2/5"	11 kg	Rubber 橡胶	45*45
CP4-90K-19	Middle Section 主体	4	900	35"	600	23 3/5"	100	4"	19 kg	Rubber 橡胶	75*75



Model(型号): CP5-90H



Model(型号): CPE-62




Model(型号): CPE-60E

型号	部位	槽数	长度	LENGTH	宽度	WIDTH	高度	HEIGHT	重量 (KG)	材料	槽径
MODEL NO.	PARTS	CHANNEL	(mm)	(inches)	(mm)	(inches)	(mm)	(inches)	WEIGHT	MATERIAL	GROOVE DIAMETER
CP5-90H-13	Middle Section 主体	5	900	35"	500	19 3/5"	50	2"	13 kg	Rubber 橡胶	35*35
CP5-90H-10	Middle Section 主体	5	900	35"	500	19 3/5"	50	2"	10 kg	Rubber 橡胶	35*35
CPE-62	Corner 转接头	3	400	15 3/5"	300	23 3/5"	50	2"	5 kg	Rubber 橡胶	35*35
CPE-60E	Corner 转接头	5	400	15 3/5"	500	19 3/5"	50	2"	3.5 kg	Rubber 橡胶	35*35

Wheel Stopper / Parking Blocks

Wheel stopper effectively preventing vehicles from colliding with pedestrian or facilities by stopping the wheel when parking.

Rubber constructed, indoor or outdoor parking using with free maintenance. Reflective parking stops provide the high level of warning .



Model(型号)	Size(尺寸)	Weight(重量)	ReflectiveTape(反光贴)
WL1830-2	1830X150X100mm	15kg	10pcs



Model(型号)	Size(尺寸)	Weight(重量)	ReflectiveTape(反光贴)
WL1830B	1830X150X100mm	12.5kg	10pcs

Wheel Stopper / Parking Blocks



Model(型号)	Size(尺寸)	Weight(重量)	ReflectiveTape(反光贴)
WL1650A	1650X150X100mm	14kg	8pcs



Model(型号)	Size(尺寸)	Weight(重量)	ReflectiveTape(反光贴)
WL1650B	1650X150X100mm	12.5kg	8pcs



Model(型号)	Size(尺寸)	Weight(重量)	ReflectiveTape(反光贴)
WL1650C	1650X150X100mm	13kg	10pcs

Wheel Stopper / Parking Blocks




Model(型号)	WS550A	WS550B
Size(尺寸)	550X150X90mm	550X150X90mm
Weight(重量)	4.1kg	4.5kg
ReflectiveTape(反光贴)	6pcs	6pcs

3 Feet Long



Model(型号)	WL600	WL7501
Size(尺寸)	600x120x100mm	750x150x100mm
Weight(重量)	3kg	6.5kg
ReflectiveTape(反光贴)	6pcs	6pcs




Model(型号)	Size(尺寸)	Weight(重量)	ReflectiveTape(反光贴)
WS900A	900X150X100mm	7.5kg	4pcs

Wheel Chocks



Model(型号)	WS19	WS31	WS32	WS40
Size(尺寸L*W*H)	200X100X150mm	270X120X180mm	280x160x190mm	250X200X150mm
Weight(重量)	1.9KG	2.8KG	3.8KG	3.5KG

Plastic wheel chocks



Model(型号)	Size(尺寸)	Weight(重量)	Material(材质)
WS-P-1	387*168*175mm	1.34kg	PP
WS-P-2	498*197*235mm	1.90kg	PP

Corner Guard



Model(型号)	CG81-8	CG81-10	CG81-10A	CG101-10
Length(长度)	800mm	800mm	800mm	1000mm
Width(宽度)	100mm	100mm	100mm	100mm
Thickness(厚度)	8mm	10mm	10mm	10mm
Weight(重量)	1.2KG	1.5KG	1.6KG	1.8KG



EVA Corner Guard



ECG01&ECG02

ECG03

EVG04

Model(型号)	ECG01	EVG02	ECG03	EVG04
Length(长度)	600mm	800mm	600mm	800mm
Width(宽度)	100mm	100mm	100mm	100mm
Available Colors(可选颜色)		Black, yellow, red, blue		
Weight(重量)	0.1KG	0.15KG	0.1KG	0.15KG



Wall Protector / Dock Bumper



Model(型号)	WP-15	DB-1
Size(尺寸L*W)	1000X150mm	300X200mm
Thickness(厚度)	20mm(min),50mm(max)	90mm





Model(型号)	WP-100	WP-100A
Size(尺寸L*W*H)	1000X200X90mm	1000X100X95mm
Weight(重量)	17Kg	8.5Kg





Model(型号)	WP-98B	WP-98C
Size(尺寸L*W*H)	980X200X85mm	800X200X90mm
Weight(重量)	15kg	15.5kg


TRAFFIC CONE



3M diamond grade
reflective patch
3M 钻石级反光膜




High intensive reflective
sheeting(auto-adhesive style)
高强级反光膜



Micro-prismatic reflective
sheeting(Non auto-adhesive style)
晶格膜



PVC Traffic Cone




Model(型号)	SC300A-1	SC450A-1	SC700A-1	SC900A-1
Height(高度)	300mm(12")	450mm(18")	700mm(28")	900mm(36")
Base Size(底座尺寸)	210X210mm	280X280mm	330X330mm	370X370mm
Weight(重量)	0.6kg	1.0kg	1.8kg	3.4kg/4.3kg

PVC Traffic Cone



Model(型号)	Size(尺寸)	Weight(重量)	Material(材质)
45-R1	270x270*450mm	1.35kg	PVC
70-R1	350X350*700mm	2.4kg/3.2Kg	PVC
90-2A	360*360*900mm	4kg/4.5kg	PVC



Model(型号)	SC45-1A	SC70-2B	SC90-2B
Height(高度)	450mm(18")	700mm(28")	900mm(36")
Base Size(底座尺寸)	280X280mm	360X360mm	360X360mm
Weight(重量)	1.5kg	2.7kg/3.2kg	4kg/4.5kg

Australia Market Std .



Model(型号)	SC450B-1	SC700B-1	SC900B-1
Height(高度)	450mm	700mm	900mm
Base Size(底座尺寸)	270X270mm	370X370mm	360X360mm
Weight(重量)	1.5kg	3.2kg	4.5kg

PVC Traffic Cone with Handle



Model(型号)	Size(尺寸)	Weight(重量)	Material(材质)
70-1A	330*330*700mm	1.65kg	PVC
90-1C	370*370*900mm	3.4kg/4.3kg	PVC



Model(型号)	SC500PE-1	SC750PE-1	SC1000PE-1
Height(高度)	500mm	750mm	1000mm
Base Size(底座尺寸)	280X280mm	390X390mm	490X490mm
Weight(重量)	1.5Kg	2.5Kg	5.0Kg

Korea PE Traffic Cone



Model(型号)	Size(尺寸)	Weight(重量)	Material(材质)
SC700KR	370*370*700mm	0.8kg	PE
CW-2	370*370mm	2kg	Rubber


Collapsible Traffic Cone



Model(型号)	CTC450	CTC550	CTC700	CTC900
Height(高度)	450mm(18")	550mm(22")	700mm(28")	900mm(36")
Base Size(底座尺寸)	245X245mm	320X320mm	320X320mm	425X425mm
Weight(重量)	0.40kg	0.90kg	0.92kg	2.0kg




Warning Post



型号 MODEL NO.	产品规格 (mm) PRODUCT SPECIFICATIONS	材质 MATERIAL	重量 WEIGHT	反光膜 REFLECTIVE TAPE
WP-45A	450*200*80mm	TPU	0.9KG	65mm x 2pcs
WP-75A	750*200*80mm	TPU	1.2KG	60mm x 3pcs
WP-80A	800*200*80mm	TPU	1.5KG	60mm x 3pcs
WP-90A	900*200*80mm	TPU	1.65KG	60mm x 4pcs
WP-100A	1000*200*80mm	TPU	1.75KG	60mm x 4pcs

Warning Post



型号 MODEL NO.	高度 HEIGHT (mm)	高度 HEIGHT (inches)	底座 BASE (mm)	反光膜颜色 REFLECTIVE STRIP Color	材料 MATERIAL
WP-91	910	43 2/5"	200 x 200	White 白色	TPU
WP-91B	910	43 2/5"	200 x 200	White 白色	TPU



型号 MODEL NO.	高度 HEIGHT (mm)	高度 HEIGHT (inches)	底座 BASE (mm)	反光膜颜色 REFLECTIVE STRIP Color	重量 (KG) WEIGHT	材料 MATERIAL
WP-80B	800	31 2/5"	225X175	White/Yellow 白色/黄色	2.0KG	TPU

Warning Post



WP-A80

WP-A76



型号 MODEL NO.	产品规格 (mm) PRODUCT SPECIFICATIONS	材质 MATERIAL	重量 WEIGHT	反光膜 REFLECTIVE TAPE
WP-A80	φ80*H800mm	TPU	1.3KG	60mm x 3pcs
WP-A76	φ80*H760mm	TPU	1.4KG	60mm x 3pcs



型号 MODEL NO.	产品规格 (mm) PRODUCT SPECIFICATIONS	材质 MATERIAL	重量 WEIGHT	反光膜 REFLECTIVE TAPE
WP-A110	φ120*H1000mm	TPU	4.0KG	200mm x 2pcs



Billboard



D12-SING-1

D12-SING-1

型号 MODEL NO.	总高度 (mm) TOTAL HEIGHT	底座尺寸 BASE SIZE	带图案反光膜直径 (mm) REFLECTIVE TAPE
D12-SING-1	510	120*120*90	260
D12-SING-2	690	120*120*90	210

Warning Post



型号 MODEL NO.	高度 HEIGHT		底座 BASE		杆径 APERTURE SIZE		反光膜颜色 REFLECTIVE STRIP Color	重量 (KG) WEIGHT	材料 MATERIAL
	(mm)	(inches)	(mm)	(mm)	(mm)	(inches)			
WP-75M	750	30"	φ300		80	3 1/5"	White 白色	1.3kg	TPU



WP-120FP

WP-80FP

型号 MODEL NO.	高度 HEIGHT		底座 BASE		杆径 APERTURE SIZE		颜色 REFLECTIVE STRIP Color	反光膜 REFLECTIVE STRIPS	重量 (KG) WEIGHT	材料 MATERIAL
	(mm)	(inches)	(mm)	(inches)	(mm)	(inches)				
WP-80FP	800	31 2/5"	265	10 2/5"	100	4	Arrow style 箭头款	Arrow style 箭头款	2.60kg	PE
WP-120FP	1200	47 1/5"	260	10 1/5"	100	4	White 白色	450mm	2.95kg	PE

Warning Post



WP-110M

型号 MODEL NO.	高度 HEIGHT		底座 BASE		杆径 APERTURE SIZE		反光膜颜色 REFLECTIVE STRIP Color	重量 (KG) WEIGHT	材料 MATERIAL
	(mm)	(inches)	(mm)	(mm)	(mm)	(inches)			
WP-110M	1100	43 2/5"	420 x 420		95	3 3/5"	White 白色	5/6/8kg	PE




型号 MODEL NO.	高度 HEIGHT		底座 BASE		杆径 APERTURE SIZE		反光膜颜色 REFLECTIVE STRIP Color	重量 (KG) WEIGHT	材料 MATERIAL
	(mm)	(inches)	(mm)	(mm)	(mm)	(inches)			
WP-110P	1100	43 2/5"	420 x 420		95	3 3/5"	White 白色	5/6/8kg	PE

Warning Post



two types of post



Warning Post

Model(型号): WP-100A

Model(型号): WP-100C

Model(型号): WP-100B

Model(型号): WP-100G



Model(型号): WP-100D

Model(型号): WP-100E


Model(型号): WP-100F

型号 MODEL NO.	产品规格 (mm) PRODUCT SPECIFICATIONS	底座 (mm) BASE	反光膜颜色 REFLECTIVE STRIP Color	材料 MATERIAL
WP-100A	φ100*H1160mm	420X420	White 白色	PE
WP-100B	φ100*H1140mm	420X420	White 白色	PE
WP-100C	φ100*H1210mm	420X420	White 白色	PE
WP-100D	φ100*H1140mm	420X420	White 白色	PE
WP-100E	φ100*H1140mm	420X420	White 白色	PE
WP-100F	φ100*H1180mm	420X420	White 白色	PE
WP-100G	φ100*H1140mm	420X420	White 白色	PE

Warning Post



型号 MODEL NO.	高度 HEIGHT		底座 BASE	警示柱高度 Warning Post HEIGHT		反光膜颜色 REFLECTIVE STRIP Color	重量 (KG) WEIGHT	材料 MATERIAL
	(mm)	(inches)		(mm)	(inches)			
WP-R100	1000	39 2/5"	140 x180	900	35 2/5"	White 白色	1.1kg	PE



型号 MODEL NO.	高度 HEIGHT		底座 BASE	警示柱高度 Warning Post HEIGHT		反光膜颜色 REFLECTIVE STRIP Color	重量 (KG) WEIGHT	材料 MATERIAL
	(mm)	(inches)		(mm)	(inches)			
WP-R110	1060	41 4/5"	200 x200	1050	41 2/5"	White 白色	1.6kg	PE

Warning Post



型号 MODEL NO.	高度 HEIGHT		宽度 WIDTH		面板重量 PANEL WEIGHT	面板材料 PANEL MATERIALS	底座尺寸 BASE WIDTH	底座重量 PANEL WEIGHT	材料 MATERIAL
	(mm)	(inches)	(mm)	(inches)					
FB-1	1000	40 3/5"	360	13 4/5"	3.4KG	PE	200X200MM	0.6 kg	Plastic



型号 MODEL NO.	高度 HEIGHT		宽度 WIDTH		面板重量 PANEL WEIGHT	面板材料 PANEL MATERIALS	底座尺寸 BASE WIDTH	底座重量 PANEL WEIGHT	材料 MATERIAL
	(mm)	(inches)	(mm)	(inches)					
FB-2	1030	40 3/5"	350	13 4/5"	2.0KG	PE	200X200MM	0.6 kg	Plastic

Delineators



型号 MODEL NO.	高度 HEIGHT		底座 BASE (mm)	警示柱高度 Warning Post HEIGHT		反光膜颜色 REFLECTIVE STRIP Color	重量 (KG) WEIGHT	材料 MATERIAL
	(mm)	(inches)		(mm)	(inches)			
WP-1230	1230	48 2/5"	440*400*20	1230	48 2/5"	silver 银色	4.85kg	PE

Traffic Channelizer



型号 MODEL NO.	高度 HEIGHT		底座 BASE (mm)	重量 (KG) WEIGHT	材料 MATERIAL
	(mm)	(inches)			
WP-290a	290	11 2/5"	180 x115	0.56kg	TPU
WP-290b	290	11 2/5"	200 x140	0.60kg	TPU
WP-280a	280	11 2/5"	160 x130	0.48kg	TPU
WP-280b	280	11 2/5"	190 x120	0.50kg	TPU

Traffic Channelizer



型号 MODEL NO.	高度 HEIGHT		底座 BASE (mm)	警示柱高度 Warning Post HEIGHT		反光膜颜色 REFLECTIVE STRIP Color	重量 (KG) WEIGHT	材料 MATERIAL
	(mm)	(inches)		(mm)	(inches)			
WP-780	780	30 4/5"	995 x200	700	27 3/5"	silver 银色	4.5kg	TPU

Economy Plastic Chain Post Kit



Model(型号)	TD-85
Height(高度)	850mm
Base Size(底座尺寸)	28X28 cm
Diameter(直径)	45mm

Cone Bar


SINGLE SIDE EXTENDABLE



Model(型号)	TCB-1	Lenght(长度)	1.30m-2.15m	Color(颜色)	Yellow & Black Red& White
-----------	-------	------------	-------------	-----------	---------------------------




NON-EXTENDABLE



Model(型号)	TCB-2	Lenght(长度)	2.15m	Color(颜色)	Yellow & Black Red& White
-----------	-------	------------	-------	-----------	---------------------------

Plastic Chain

Available size:4mm/ 6mm/ 8mm
Avaible color: Pure Yellow/ Pure Red/ Yellow Black/ Red White



Model(型号)	PC4	PC6	PC8	PC10
Diameter(直径)	4mm	6mm	8mm	10mm
Length (长度)	50 Meters	25/50 Meters	25 Meters	25 Meters
Color(颜色)		Yellow &Red	White & Yellow	Black

Plastic Chain Accessories



Model(型号)	S Hook	PCC-1	PC10
Diameter(直径)	6mm or 8mm	6mm	8mm
Length (长度)			200 cm
Color(颜色)	Red/White/Black	Red	Red&White
Remarks (备注)		Closed Hook	Open Hook

Cone Topper

The cone topper with 4-sides connected is a perfect solution to cordon off working areas with the belt. Ideal for construction sites, work sites, roadside maintenance, engineering applications, a temporary barrier



9 Meters Tape



3 Meters Tape



CT9-YB

CT3-YB

CT3-RW


Warning Flag / Bunting

Ideal for construction and mining. Made from durable reinforced PVC or PE with high visibility



FL-1	FL-2	FL-3	FL-4
30m long	30m long	25m long	300X300mm

Safety Mesh



Model	MESH SIZE(mm)	WEIGHT(G/M2)	WIDTH(M)	COLOR
V-SR130-4545	45X45	130	1/1.22	Orange /Yellow / Green/ Blue
V-SR100-6535	65X35	100	1/1.22	Orange /Yellow / Green/ Blue
V-BR100-10040	100X40	100	1/1.22	Orange /Yellow / Green/ Blue
V-BR120-8040	80X40	120	1/1.22	Orange /Yellow / Green/ Blue
V-BR150-8040	80X40	150	1/1.22/1.5	Orange /Yellow / Green/ Blue

Steel Barrier Fence



SF-18A



Model(型号)	SF-18A
Size(尺寸)	1800x1800mm
Material(材料)	Steel

Road Stud



Model(型号)	SP115-F1	SP115-F2	SP115-F2	CRS-1
Size(尺寸L*W*H)	100X100X20mm	100X100X20mm	100X90X18mm	Φ100MM
Material(材料)	ABS	ABS	ABS	Ceramic
Color(颜色)	Yellow White Red		Yellow White	Yellow White

Pavement Marker



Model(型号)	EHD-1
Size(尺寸L*W*H)	100*55*25mm
Material(材料)	PU

Warning Tape

Various specification for your choices; Accept customization,such as Logo, words; High strength & UV-resistance




Material(材料)	PE
Lenght(长度)	50m-100m
Width(宽度)	5cm-10cm
Thickness(厚度)	0.03-0.10mm
Color(颜色)	Yellow/Black Red/White

Flexible GuardRail


Flexible guardrail is a special protection system that can resist the Impact & Crushing of 5Tons Truck at 40Km/H. It is made of Flexible TPU materials and save the maintenance costs.

- ✓ 1. Effectively reduce injury for Bicycle Driver;
- ✓ 2. Bright 3M Yellow Stripe and black has a good warning effect.
- ✓ 3. Durable and high quality guarantee;
- ✓ 4. Length, corner can be customized according to actual needs.



Model(型号)	Length(长度)	Height(高度)	Bollard Wide(柱宽)	Base (底座)	Yellow Stripe
CG-1	2000mm	600mm	100mm	230X200mm	3M Yellow Stripe

Flexible GuardRail



Made of Flexible TPU and
3M HIP Tape

Made of ABS with 3M Yellow
Stripe or Yellow No-Reflex Strip

Model(型号)	Length(长度)	Height(高度)	Bollard Wide(柱宽)	Base (底座)	Yellow Stripe
CG-2	2000mm	1000mm	100mm	230X200mm	3M Yellow Stripe

Expandable Barrier

Expendable portable barrier,ideal for easy move and carry.Bright orange color,long visual distance.




Model(型号)	Nin Length(收缩长度)	Max Length(展开长度)	Height(高度)	Width(宽度)
EB2215	130mm	2200mm	1070mm	475mm

Expandable Barrier



Model(型号)	Weight(重量)	Max Length(展开长度)	Height(高度)
EB3500	6Kg	3500mm	960mm



Model(型号)	Nin Length(收缩长度)	Max Length(展开长度)	Height(高度)	Width(宽度)
EB3900	330mm	3900mm	1000mm	550mm



Model(型号)	Nin Length(收缩长度)	Max Length(展开长度)	Height(高度)	Width(宽度)
EB2500	350mm	2500mm	960mm	390mm

Delineator Panel



Model(型号): SC-DP1

Model(型号): SC-DP3

Model(型号): SC-DP5




Model(型号): SC-DP2

Model(型号): SC-DP4

型号 MODEL NO.	高度 HEIGHT		宽度 WIDTH		面板重量 PANEL WEIGHT	面板材料 PANEL MATERIALS	底座尺寸 BASE WIDTH	底座重量 PANEL WEIGHT	材料 MATERIAL
	(mm)	(inches)	(mm)	(inches)					
SC-DP1	1150	45 1/5"	250	9 4/5"	2.0KG	PE	570X460MM	9.0 kg	Recycle Rubber
SC-DP2	1150	45 1/5"	250	9 4/5"	1.5KG	PE	800X400MM	14.0 kg	Rubber and Plastic Mix
SC-DP3	1150	45 1/5"	250	9 4/5"	2.0KG	PP	670X380MM	14.0 kg	Recycle Rubber
SC-DP4	1320	52"	290	11 2/5"	2.0KG	PE	800X400MM	14.0 kg	Rubber and Plastic Mix
SC-DP5	1150	45 1/5"	250	9 4/5"	2.0KG	PVC	430X320MM	10 kg	Recycle Rubber

Plastic Barricade Type I



Safety Drum



型号 MODEL NO.	高度 HEIGHT		底部宽度 WIDTH	桶部直径 DRUM DIA	筒部重量 DRUM WEIGHT	底座重量 BASE WEIGHT
	(mm)	(inches)				
SC-SD-5	1000	39 2/5"	Barrel Diameter:400mm(Top) Barrel Diameter:505mm(Bottom)			
SC-SD-6	1100	43 2/5"	Barrel Diameter:580mm Base Diameter:850mm Material: PE Barrel,Rubber Base			
SC-SD-7	900	35 2/5"	Earrel Diameter:300-470mm Base Diameter:570mm Material: PE Barrel,Rubber Base			

Manhole Gate Barrier

The manhole gate barrier is an affordable,lightweight,portable barrier that is ideal for surrounding manholes or forming a safety perimeter whilst working public areas.The key feature of this barrieris that it can be fold into a small flat package that is easily stored in the back of a van or pickup.



Model(型号)	Height(高度)	Unit Width(宽度)	Unit (重量)	Bodymaterial(材质)	Feetmaterial(底座材质)	FeetWeight(底座重量)
MB800A	1000mm	800mm	2.8kgs	Polyethylene	RecycledPVC	2.70kgs

Fence Barrier



Model(型号)	Length(长度)	Total Height(总高度)	Fence Height(护栏自高)	Thickness(厚度)
FB2215	1950mm	1000mm	820mm	50mm

Water Filled Barrier



Model(型号)	Length(长度)	Total Height(总高度)	Top width(顶部宽度)	Water Capacity(水容量)
WB2000	2000mm	800mm	145mm	400KG

Water Filled Barrier



Model(型号)	Size(规格)
WB-350	1000x300x350mm
WB-400	1000x300x400mm
WB-500	1000x300x500mm

Water Filled Barrier

Model(型号)	WB800B	WB824	WB580A
Length(长度)	1400mm	φ 573mm	580mm
Height(高度)	800mm	824mm	580mm
Top Width(上宽)	170mm		150mm
Bottom Width(下宽)	360mm		430mm

Model(型号)	WB110	WB150	WB170
Length(长度)	1100mm	1500mm	1700mm
Height(高度)	1000mm	1000mm	910mm
Top Width(上宽)	80mm	50mm	35mm
Bottom Width(下宽)	300mm	350mm	270mm

Cable support

				
Model(型号)	DL450A	DL450B	DL300A	
Height(高度)	580mm	580mm	180mm	
Groove width(槽内)	85mm	85mm	85mm	

Convex Mirror

Convex Mirror are used on roads, driveways, and alleys to provide safety tor motorists where there is a lack of visibility, especially a curves and turns.



Model(型号)	CM-30	CM-45	CM-60
Diameter (直径)	φ 300mm	φ 450mm	φ 600mm

Model(型号)	CM-80	CM-100	CM-120
Diameter (直径)	φ 800mm	φ 1000mm	φ 1200mm


Warning Sign Board

A-frame, all plastic, folding warning sign board. Bright yellow color with warning letters on 2 sides

			
Model(型号)	WS-1	WS-2	
Size (尺寸L*W*H)	625x330x215mm	950x280x280mm with top board 670x280x280mm without top board	

Barrier Board

Barrier boards are used during road works and similar activities to cordon off areas, close roads or direct traffic.



Model(型号)	SC-BB-Y /B	SC-BBS
Part(部件)	Board	Stand
Length(长度)	2500mm	1007mm
Width(宽度)	190mm	694mm
Thickness(厚度)	25mm	25mm
Color(颜色)	Black Taped by Yellow	Yellow
weight(重量)	3.20kgs	2.1kgs



Swing Stand Sign

Swing Stands are ideal for short term works, easy to erect and compact to transport. Stands and Signs are available single or double sided and come pre-assembled ready for use.



Model(型号)	Size(尺寸)	Material (材质)
SC-SS-B6060	600*600mm	Steel
SC-SS-B9060	900*600mm	Steel
SC-SS-B12090	1200*900mm	Steel

Swing Stand Sign Frame




Model(型号)	Size(尺寸)	Weight(重量)	Material (材质)
SC-SS-6060	770*1040mm	3.6kgs	Steel
SC-SS-9060	1035*1005mm	3.9kgs	Steel
SC-SS-12090	1325*1325mm	5.2kgs	Steel


Multi-message Sign Frame



SC-MS-4
1270(L)*920(H)mm




SC-MS-3
1270(L)*920(H)mm



SC-MS-2
1270(L)*920(H)mm



SC-MS-1
1200(L)*300(H)mm



Model(型号)	Size(尺寸)	Weight(重量)
SC-MS-1	1200*300mm	2.3kgs
SC-MS-2	1270*920mm	5.8kgs
SC-MS-3	1270*920mm	5.8kgs


Multi-message Sign

Barrier boards are used during road works and similar activities to cordon off areas, close roads or direct traffic.




Model(型号)	Size(尺寸)	Material (材质)	Color(颜色)
A	600*300mm*6mm	PP	yellow
B	600*600mm*6mm	PP	yellow
C	600*600mm*6mm	PP	Orange
D	600*800mm*6mm	PP	yellow
E	900*600mm*6mm	PP	yellow
F	1200*300mm*6mm	PP	yellow
G	1200*600mm*6mm	PP	yellow

Boxed Edge Sign



Model(型号)	Size(尺寸)	Weight(重量)
SC-BS-B6060	600*600mm	3.3kgs
SC-BS-B9060	900*600mm	4.6kgs
SC-BS-B12030	1200*300mm	3.3kgs

Sign Frame Legs



Model(型号)	Size(尺寸)	Weight(重量)
SC-MS-L1	1250*105mm	2.1kgs
SC-MS-L2	1170*987mm	1.6kgs
SC-MS-L3	1300*590mm	1.6kgs
SC-MS-L4	1200*730mm	2.56kgs
SC-MS-L5	1210*742mm	1.5kgs

Japan Sign Frame

Model(型号)	SC-JSF-P	SC-JSF
Size(尺寸)	280x1400mm	1100x1400mm 550x1400mm 275x1400mm
Material (材质)	PE+Steel	Steel



SC-JSF-P

Ground Spike Anchor

Ground Spike Anchors are suitable for use on sign posts, chain mesh and fence supports.



Model(型号)	Size(尺寸)	Weight(重量)	Normal Bore (口径)	Material (材质)
SC-GP-57	570mm	2.30kgs	DN60	Steel
SC-GP-72	720mm	2.9kgs	DN60	Steel
SC-GP-45	450mm	2kgs	DN60	Steel
SC-GP-45-2	450mm	2.3KG	DN60	Steel
SC-GP-60	600mm	2.8kgs	DN60	Steel

Clamp Bracket



Model(型号)	Size(尺寸)	Material (材质)
SC-SB-1	60mm	Steel

Stop/Slow Baton




180cm high,diameter 450mm

Surface Mounted Bollard


Surface-Mounted Steel Bollard is ideal for factories, warehouses, parking lots or any other locations where vehicles such as forklifts, pallet trucks, and semi-trucks frequently travel. The highly-visible yellow powder-coating draws attention to the bollard to help prevent collisions, and the tough steel construction absorbs the impact if a collision occurs.



Model(型号)	Size(尺寸)	Base Diameter(底座)	Finish(成品表面)
SB90-90Y	Φ89*H900mm	Φ165mm	yellow powder coated
SB90-120Y	Φ89*H1200mm	Φ165mm	yellow powder coated
SB140-120Y	Φ140*H1200mm	Φ210mm	yellow powder coated
SB140-130Y	Φ140*H1300mm	Φ210mm	yellow powder coated
SB165-120Y	Φ165*H1200mm	250*250mm	yellow powder coated
SB165-130Y	Φ165*H1300mm	250*250mm	yellow powder coated
SB220-120Y	Φ220*H1200mm	250*250mm	yellow powder coated
SB220-120GA	Φ220*H1200mm	Φ390mm	Hot Dipped Galvanised



Surface Mounted Bollard



Model(型号)	Size(尺寸)	Base Diameter(底座)	Finish(成品表面)
SB114-106Y	Φ114*H1060mm	200*200mm	yellow powder coated
SB90-91Y	Φ114*H914mm	200*200mm	yellow powder coated

U-Shaped Bollard



Model(型号)	Length(长)	Height(高)	Base Size(底座)
SBU114-9060	900mm	600mm	200*200mm
SBU114-12060	1200mm	600mm	200*200mm
SBU114-9090	900mm	1200mm	200*200mm
SBU114-120120	1200mm	1200mm	200*200mm

Wheel Clamp

Known as wheel boot, parking boot, or Denver boot, is a device that is designed to prevent vehicles from being moved.




Model(型号)	Size (规格)	weight (重量)
PL-C	470X240mm	1.6KG

Width from 180-300mm

Parking Lock

It's designed to reserve the parking space from unwanted cars or other vehicles taken.



Model(型号)	PL-0	PL-k	PL-T	PL-A
Diameter (直径)	500x600x360mm	1000x180x270mm	500x80x390mm	600x200x380mm



Parking Lock



Model(型号)	Size (规格)	weight (重量)
PL-W1	57X600mm	2.7KG


Parking Lock




Model(型号)	Height	weight (重量)
PL-W2	600mm	3kg

Taffic Barricde Light

Use it as a warning flashing light to warn that the road is under construction or repair



TB-L1



TB-L2



Battery



TB-L3



TB-L5



TB-L8



TB-L12



Model(型号)	TB-L1	TB-L2	TB-L3	TB-L5	TB-L8	TB-L12
Led	2pcs	2pcs	2pcs	4pcs	4pcs	12pcs

Taffic Barricde Light



TB-L4S



TB-L4SH



TB-L7S



TB-L7SH



TB-L6S



TB-L9S



TB-L12S



TB-L10S



TB-L11S



Model(型号)	TB-L4S/TB-L4SH	TB-L7S/TB-L7SH	TB-L9S	TB-L6S	TB-L10S	TB-L11S	TB-L12S
Led	2pcs	6pcs	8pcs	6pcs	4pcs	6pcs	6pcs


Traffic Baton / Wand

The traffic batons offer both flashing or constant light modes in single and multi color configurations.



Model(型号)	RB260	RB410	RB540	SS-1
Length(长度)	260mm	410mm	540mm	393mm
Diameter(直径)	40mm	40mm	40mm	40mm
LED Qty LEDS (数目)	18+1	4+1	6+1	14+1
Function(功能)	Flash-Steady-Top light	Flash-Steady-Top light	Flash-Steady-Top light	Flash-Steady-Top light
Batteries(电池)	3 AA batteries	2 D batteries	2 D batteries	2 D batteries
Remarks(备注)	Magnetat handle	/	/	/

Emergency Warning Triangle




Safety Vest



Vehicle Reflective Tape

Vehicle Reflective/Marking Tape ia made by high intensity prismatic grade,is used for trucks, trailers. school bus and other large vehicles.



Model(型号)	Width(宽度)	Length(长度)	Color(颜色)
VRT-1	50mm	45.72m per roll	White & Red

Stanchion Post

- 1、 Variety of colors
- 2、 Logo, text, attern support customization
- 3、 pipe wallis stronger
- 4、 Multiple choices of water injection and sand table
- 5、 Material selection specification, strong toughness
- 6、 The use process is durable and pressure resistant, andthe quality is more guaranteed



SP-90A



QS-A3




Model (型号)	Specification (规格)	Weight (重量)	Pipe wall diameter (管壁直径)	Height (高度)	Rope Size (伸缩带长度)	Material (材质)	Railing color (栏杆颜色)
SP -90A	900x320x65mm	6.5Kg (Rubber Chassis)	63mm	900mm	length:2m/3m width:4.8cm	Stainless Steel	Stainless Steel/ Black/Gold
		7.5Kg (Rubber Chassis)					
		7.5Kg (Rubber Chassis)	75mm	900mm	length:5m width:4.8cm		
		8.5Kg (Rubber Chassis)					
Model (型号)	Product name (产品名称)		Poster size (海报尺寸)		External dimensions (外围尺寸)		
QS-A3	A3 Line Queue Sign Frame		42.8x30.3cm		40x30.5cm		
QS-A4	A4 Line Queue Sign Frame		28X18cm		31.7x21.4cm		

Stanchion Post



SP-90D



Model (型号)	Specification (规格)	Weight (重量)	Pipe wall diameter (管壁直径)	Height (高度)	Rope Size (伸缩带长度)	Material (材质)	Railing color (栏杆颜色)
SP-90D	900x320x65mm	7Kg	63mm	900mm	length:2m/3m width:4.8cm	Stainless Steel	Stainless Steel/ Black/Gold



Stanchion Post



SP-95A




Model (型号)	Specification (规格)	Material thickness (管壁厚度)	Material Finish (管壁直径)	Top type (顶部)	Heavy Base (底座)	Packing Method (包装方式)	Railing color (栏杆颜色)
SP-95A	950x320x51mm	0.45mm	51mm	BALL	concrete base with plastic	Poles: 20pcs/ctn; Base cover: 20pcs/ctn; Heavy base: 5pcs/ctn	Gold/ Silver/ Black



Stanchion Post



SPP-90B



Model (型号)	Specification (规格)	Weight (重量)	Pipe wall diameter (管壁直径)	Height (高度)	Rope Size (伸缩带长度)	Material (材质)	Railing color (栏杆颜色)
SPP-90B	900x320x65mm	6.5Kg (Rubber Chassis)	63mm	900mm	length:2m/3m width:4.8cm	PVC	Yellow/orange/ red/blue/black
		7.5Kg (Rubber Chassis)					

PVC water injection stanchion



SPP-90C



Model (型号)	Specification (规格)	Weight (重量)	Pipe wall diameter (管壁直径)	Height (高度)	Rope Size (伸缩带长度)	Material (材质)	Railing color (栏杆颜色)
SPP-90C	900x342x65mm	1.35Kg	63mm	900mm	length:2m/3m width:4.8cm	PVC	Yellow/Red/ Blue/Black
		7.5Kg (water injection)					

Stanchion Post



Model (型号)	Specification (规格)	Weight (重量)	Pipe wall diameter (管壁直径)	Height (高度)	Rope Size (伸缩带长度)	Material (材质)	Railing color (栏杆颜色)
SP-90R	900x320x65mm	7Kg	63mm	900mm	length:2m/3m width:4.8cm	Stainless Steel	Stainless Steel/ Black/Gold



PVC Stanchion Post



Model (型号)	Specification (规格)	Weight (重量)	Pipe wall diameter (管壁直径)	Height (高度)	Rope Size (伸缩带长度)	Material (材质)	Railing color (栏杆颜色)
SPP-90E	430*490*940mm	8.5kg 7.7Kg (Base Weight)	63mm	940mm	length:2m/3m width:4.8cm	PVC & Rubber	Yellow/Red/ Blue/Black


Hand Trolley



型号 MODEL NO.	高度 HEIGHT		底座尺寸 BASE WIDTH	重量 WEIGHT	材料 MATERIALS
	(mm)	(inches)			
HT-Y	900	35 2/5"	760X470MM	9.2KG	PE+Steel



Hand Trolley



型号 MODEL NO.	高度 HEIGHT		底座尺寸 BASE WIDTH	重量 WEIGHT	材料 MATERIALS
	(mm)	(inches)			
HT-B	900	35 2/5"	720X470MM	9.28KG	PE+Steel

